

# Coverage for Tobacco Use Cessation Treatments

QuitlineNC at 1-800-QUIT-NOW (1-800-784-8669) is a resource for employers and health plans that provides expert quit coaching in multiple languages for all North Carolina tobacco users from 8 a.m. until 3 a.m., 7 days a week.

# What is the Experience of Companies Providing this Benefit?

Businesses that have included a tobacco cessation benefit report that this coverage has increased the number of smokers willing to undergo treatment and has increased the percentage that successfully quit. 11,13

#### **How Should Benefits Be Designed?**

Both the Public Health Servicesponsored Clinical Practice Guidelines, *Treating Tobacco Use and Dependence*, and the Community Preventive Services Task Force recommends that all insurers provide tobacco cessation benefits that do the following:

- ⇒Pay for counseling and medications, together or separately.<sup>3</sup>
- ⇒Cover at least four counseling sessions of at least 30 minutes each, including pro-active telephone counseling and individual counseling. While classes are also effective, few smokers attend them.<sup>7</sup>

- ⇒Cover both prescription and over-the-counter nicotine replacement medications (patch, gum, lozenge, inhaler, nasal spray), buproprion, and varenicline.<sup>3</sup>
- ⇒Provide counseling and medication coverage for at least two smoking cessation attempts per year. 8.9
- ⇒Eliminate or minimize co-pays or deductibles for counseling and medications, as even small copayments reduce the use of proven treatments. 10,7

## Are There Other Activities that Encourage Workers to Quit?

The Community Preventive
Services Task Force recommends
worksite-based incentives and
competitions to reduce tobacco
use among workers. Rewards to
individual workers and to teams as
a motivation to participate in a
cessation program or effort.

- ⇒Rewards can be provided for participation, for success in quitting, or for both.
- ⇒Types of rewards may include financial payments, lottery chances for monetary or other prizes, and return of selfimposed payroll withholdings. <sup>18</sup>

### How Tobacco Cessation Cuts Cost

Over time, tobacco-use cessation benefits generate financial revenues for employers in four ways:

- ✓ Reduced health care costs <sup>2, 14</sup>
- ✓ Reduced absenteeism <sup>2,15,16</sup>
- ✓ Increased on-the-job productivity 2,15,16
- ✓ Reduced life insurance costs <sup>2,15</sup>

Benefits realized more immediately include:

- ✓ Increases in employee productivity <sup>2,16</sup>
- Reductions in smokingattributed neonatal health care costs <sup>12</sup>

Employers who provide a smokefree workplace may also realize savings on fire insurance and costs related to items such as ventilation services and property repair and upkeep.<sup>2,15</sup>

## **Coverage for Tobacco Use Cessation Treatments**

## How Much Do Cessation Benefits Cost? Are They Cost-Effective?

Tobacco cessation is more cost-effective than other common and covered disease prevention interventions, such as the treatment of hypertension and high blood cholesterol.<sup>4</sup>

Cost analyses have shown tobacco cessation benefits to be either cost-saving or cost-neutral. <sup>2,8</sup> Overall, cost/expenditure to employers equalizes at three years; benefits exceed costs by year five.<sup>2</sup>

Costs for comprehensive tobacco cessation benefits are between 10 and 40 cents per member per month (costs vary based on utilization and dependent coverage). <sup>7, 11</sup> In contrast, the annual cost to the employer of tobacco use is about **\$3,283 per year** in medical costs, plus lost productivity. <sup>1</sup>

Tobacco ROI Calculator: www.businesscaseroi.org

## Does Health Care Reform Change how Tobacco Cessation is Covered?

As of September 23, 2010, new health plans in which an individual has enrolled since March 2010 are required to cover tobacco cessation counseling and medications with no co-pay or deductible. As of October 1, 2010, all state Medicaid programs are required to cover cessation benefits for pregnant women with no cost-sharing.<sup>17</sup>

**NOTE:** Smokers are more likely to use telephone counseling than to participate in individual or group counseling sessions. <sup>5,6</sup>



#### Sources

- 1 Centers for Disease Control and Prevention. Annual smoking-attributable mortality, years of potential life lost, and economic costs—United States, 1995–1999. Morbidity and Mortality Weekly Report 2002; 51(14); 300–03.
- Warner KE, Smith RJ, Smith DG, Fries BE. Health and economic implications of a work-site smoking-cessation program: a simulation analysis. *Journal of Occupational and Environmental Medicine* 1996; 38(10):981–92.
- 3 Fiore MC, Bailey WC, Cohen SJ, et al. *Treating Tobacco Use and Dependence: Clinical Practice Guideline*. Rockville, MD: U.S. Department of Health and Human Services, Public Health Service; 2000.
- 4 Cummings SR, Rubin SM, Oster G. The cost-effectiveness of counseling smokers to quit. *Journal of the American Medical Association* 1989; 261
- 5 McAfee T, Sofian N, Wilson J, Hindmarsh M. The role of tobacco intervention in population-based health care. *American Journal of Preventive Medicine* 1998; 14:46–52.
- 6 McAfee T. Increasing the population impact of quitlines. Paper presented at the North American Quitline Conference, Phoenix, AZ, 2002.
- 7 Schauffler HH, McMenamin S, Olsen K, Boyce-Smith G, Rideout JA, Kamil J. Variations in treatment benefits influence smoking cessation: results of a randomized controlled trial. *Tobacco Control* 2001;10:175–80.
- 8 Harris JR, Schauffler HH, Milstein A, Powers P, Hopkins DP. Expanding health insurance coverage for smoking cessation treatments: experience of the Pacific Business Group on Health. *American Journal of Health Promotion* 2001;15(5):350–6.
- 9 George Washington University Center for Health Services Research and Policy. Sample Purchasing Specifications Related To Tobacco-Use Prevention And Cessation: a Technical Assistance Document. October 2002. Available at: http://www.gwhealthpolicy.org/newsps/tobacco/tobacco-prevent.html. Accessed 06/24/03.
- 10 Hopkins DP, Briss PA, Ricard CJ, et al. Task Force on Community Preventive Services. American Journal of Preventive Medicine 2001; 20(2 Suppl):16–66.
- 11 Curry SJ, Grothaus MA, McAfee T, Pabiniak C. Use and cost effectiveness of smoking-cessation services under four insurance plans in a health maintenance organization. *New England Journal of Medicine* 1998; 339(10):673–79.
- 12 Marks JS, Koplan JP, Hogue CJR, Dalmat ME. A cost-benefit/cost-effectiveness analysis of smoking cessation for pregnant women. *American Journal of Preventive Medicine* 1990;6(5):282–9.
- 13 Professional Assisted Cessation Therapy (PACT). Employers' Smoking Cessation Guide: Practical Approaches to a Costly Workplace Problem. Available at: http://www.endsmoking.org/resources/employersguide/pdf/employersguide.pdf. Accessed 03/26/03.
- 14 Wagner EH, Curry SJ, Grothaus L, Saunders KW, McBride CM. The impact of smoking and quitting on health care use. *Archives of Internal Medicine* 1995;155(16):1789–95.
- 15 Centers for Disease Control and Prevention, American Cancer Society, and Wellness Councils of America. *Making Your Workplace Smokefree—A Decision Maker's Guide*. 1996. Available at: http://www.cdc.gov/tobacco/research\_data/environmental/etsguide.htm. Accessed 04/05/03.
- 16 Halpern MT, Shikiar R, Rentz AM, Khan ZM. Impact of smoking status on workplace absenteeism and productivity. Tobacco Control 2001;10:233-8
- 17 American Lung Association. "Helping Smokers Quit: State Cessation Coverage 2010. 08/31/2010. 18 Guide to Community Preventive Services. <a href="http://www.thecommunityguide.org/tobacco/worksite/index.html">http://www.thecommunityguide.org/tobacco/worksite/index.html</a> Accessed May 13, 2011.